


18.**SWACO ALS-2**


Shaker Screen Replacement ▼

**Compatible shale shakers**

- SWACO ALS-2 shale shaker.

Technical Parameter

- **Model No.:** KET-ALS-2.
- **Material:** stainless steel 304/316/316 L.
- **Frame Material:** Q235 steel.
- **Standard:** API RP 13C.
- **API RP 13C Designation:** API 18 – API 325.
- **Series:** XL, XR.
- **Warranty Period:** 1 year.



KET-ALS-2-A325

• API mesh designation

• Fit shaker model: M-I SWACO ALS-2

• Replacement screens made by Kangertong

Performance Parameter

Screen Designation	Mesh Type	API RP 13C Designation	Conductance Number	D100 Separation (microns)	Non-Blank Area (sq.ft)
KET-ALS-2-A325	XL	API 325	0.36	43	5.5
KET-ALS-2-A270	XL/ XR	API 270	0.48	58	5.5
KET-ALS-2-A200	XL/ XR	API 200	0.8	81	5.5
KET-ALS-2-A170	XL/ XR	API 170	1.0	92	5.5
KET-ALS-2-A140	XL/ XR	API 140	1.28	103	5.5
KET-ALS-2-A120	XL/ XR	API 120	1.45	130	5.5
KET-ALS-2-A100	XL/ XR	API 100	1.59	142	5.5
KET-ALS-2-A80	XL/ XR	API 80	2.19	187	5.5
KET-ALS-2-A70	XL/ XR	API 70	2.82	222	5.5
KET-ALS-2-A60	XL/ XR	API 60	3.34	275	5.5
KET-ALS-2-A50	XL	API 50	5.19	312	5.5
KET-ALS-2-A35	XL	API 35	9.13	536	5.5
KET-ALS-2-A20	XL	API 20	9.69	538	5.5
KET-ALS-2-A18	XL	API 18	15.7	927	5.5

* D100: Particles this size and larger will normally be discarded.

* API: Corresponding API sieve equivalent as per API RP 13C.

* Conductance No.: This represents the ease with which a liquid can flow through the screen. Larger values represent higher volume handling.